

VOICE | | COIL

THE PERIODICAL FOR THE LOUDSPEAKER INDUSTRY



Test Bench

A New 6.5" Midrange Driver from Scan-Speak

By Vance Dickason

This month I tested the recently released Scan-Speak 6.5" 18M/4631T00 Revelator midrange (see **Photo 1**). The 18M/4631T00 is nominally a midrange version of the Scan-Speak 18W/8531G00 with higher sensitivity and shorter X_{MAX} . The original Scan-Speak 18W/8531G00 was a true high-end audio classic and probably one of the most visible high-end drivers ever used in high-end loudspeakers.

As you would expect, the feature set for the 18M/4631T00 is very similar to the original 18W's. This includes the updated slim profile cast-aluminum frame, a version of the original uncoated sliced paper cone (for reduced cone break-up modes), a 1.5" diameter sliced convex paper dust cap, 38 mm diameter voice coil wound on a titanium former, SD-1 patented Symmetric Drive (SD) motor structure with a 110 mm x 18 mm ceramic ferrite magnet. (The Symmetric Drive motor uses an extended vented pole with an angled chamfer on the pole top section and three copper shorting rings, one centered on the gap and one located above and one located below the cap area.) The 18M/4631T00 also has a T-yoke with a 12-mm diameter pole vent. Compliance is provided by a low damping styrene-butadiene rubber (SBR) surround and a 3.5" diameter flat cloth spider. Last, the voice coil is terminated to a pair of solderable gold-plated terminals.

I used the LinearX LMS analyzer and VIBox to create both voltage and admittance (current) curves with the 18M/4631T00 clamped to a rigid test fixture in free air at 0.3, 1, 3, 6, and 10 V. Since the 18M/4631T00 has 3 mm X_{MAX} like a 6.5" woofer, it stayed linear enough for LEAP 5 to get a curve on the 10 V sweep. It should be noted that this multi-voltage parameter test procedure includes heating the voice coil between sweeps for progressively longer periods to simulate

operating temperatures at that voltage level (raising the temperature to the third time constant).

I post-processed the 10 550-point stepped sine




Figure 1: Scan-Speak 18M/4631T00 1 V free-air impedance plot

	TSL Model		LTD Model		Factory
	Sample 1	Sample 2	Sample 1	Sample 2	
F_s	61.9 Hz	64.5 Hz	59.9 Hz	62.5 Hz	65 Hz
R_{EVC}	3.55	3.49	3.55	3.49	3.5
S_d cm ³	156.1	156.1	156.1	156.1	154
Q_{MS}	5.09	4.66	5.43	4.48	5.65
Q_{ES}	0.6	0.66	0.62	0.63	0.67
Q_{TS}	0.54	0.58	0.56	0.55	0.6
V_{AS}	16.1 ltr	14.8 ltr	17.2 ltr	15.9 ltr	14.01 ltr
SPL 2.83 V	90.9 dB	90.6 dB	90.6 dB	90.7 dB	92 dB
X_{MAX}	3 mm	3 mm	3 mm	3 mm	3 mm

Table 1: Scan-Speak 18M/4631T00 data comparison




Figure 2: Scan-Speak 18M/4631T00 computer box simulations (black solid = sealed 1 at 2.83 V; blue dash = sealed 2 at 2.83 V; black solid = sealed 1 at 9 V; blue dash = sealed 2 at 14 V)



Photo 1: Scan-Speak's 18M/4631T00 Revelator midrange




Figure 3: Group delay curves for the 2.83 V curves shown in Figure 2

wave sweeps for each 18M/4631T00 sample and divided the voltage curves by the current curves (admittance) to create impedance curves, phase added using LMS calculation method. I uploaded them, along with the accompanying voltage curves, to the LEAP 5 Enclosure Shop software. Besides the LEAP 5 LTD model results, I additionally created a LEAP 4 TSL model set of parameters using just the 1 V free-air curves. I selected the final data, which includes the multiple voltage impedance curves for the LTD model and the 1 V impedance curve for the TSL model, and created the parameters to perform the computer box simulations.




Figure 4: Cone excursion curves for the 9 V/14 V curves shown in Figure 2




Figure 6: Klippel analyzer BI symmetry range curve for the Scan-Speak 18M/4631T00




Figure 5: Klippel analyzer BI (X) curve for the Scan-Speak 18M/4631T00

Figure 1 shows the 18M/4631T00 's 1 V free-air impedance curve. **Table 1** compares the LEAP 5 LTD and the TSL data and for both of 18M/4631T00 samples, as well as the factory parameters.

LEAP parameter calculation results for the 18M/4631T00 were pretty much in line with the Scan-Speak factory parameters, with the sensitivity number being a decibel or so low. Now it should be obvious that a midrange driver such as this will never get used




Figure 8: Klippel analyzer K_{MS} symmetry range curve for the Scan-Speak 18M/4631T00




Figure 7: Klippel analyzer mechanical stiffness of suspension $K_{MS}(X)$ curve for the Scan-Speak 18M/4631T00




Figure 9: Klippel analyzer $L(X)$ curve for the Scan-Speak 18M/4631T00




Figure 10: 18M/4631T00 on-axis frequency response

in its piston range and probably crossed over between 200 to 300 Hz, substantially higher in frequency than its piston range performance.

The reason I go through the box simulation exercise is to mostly get an idea of the frequency and Q of the impedance resonance, as this information is useful if you are designing a passive high-pass section of a passive band-pass network. Given this, I set up computer enclosure simulations using the LEAP LTD parameters for Sample 1. I set up two box simulations, one sealed Butterworth ($Q_{TC} = 0.7$) alignment and one Chebychev alignment (Q_{TC} close to 1). For the Butterworth closed-box simulation, I used a 0.7-ft³




Figure 11: Scan-Speak 18M/4631T00 on- and off-axis frequency response (black solid = 0°, blue dot = 15°, green dash = 30°, purple dash/dot = 45°)




Figure 12: Scan-Speak 18M/4631T00 normalized on- and off-axis frequency response (black solid = 0°, blue dot = 15°, green dash = 30°, purple dash/dot = 45°)




Figure 13: Scan-Speak 18M/4631T00 0° to 90° horizontal plane CLIO polar plot (10° increments)

enclosure with 50% fiberglass fill material, and for the Chebychev-sealed box simulation, a 0.22-ft³ also with 50% fiberglass fill material.

Figure 2 shows the 18M/4631T00's results in the two sealed enclosures at 2.83 V and at a voltage level sufficiently high enough to increase cone excursion to 3.5 mm ($X_{MAX} + 15\%$). This yielded a $F_3 = 74.4$ Hz ($F_6 = 59.7$ Hz) with a box/driver Q_{TC} of 0.71 for the 0.7-ft³ sealed enclosure. The test also yielded a -3 dB = 96.9 Hz




Figure 14: Scan-Speak 18M/4631T00 two-sample SPL comparison

(-6 dB = 80.9 Hz) $Q_{TC} = 0.93$ for the 0.22-ft³ sealed box simulation. Increasing the voltage input to the simulations until the maximum linear cone excursion was reached resulted in 102.5 dB at 9 V for the larger sealed enclosure simulation and 108 dB with an 14 V input level for the smaller sealed box.

Figure 3 shows the 2.83 V group delay curves. **Figure 4** shows the 9 V/14 V excursion curves. Again, since this midrange driver will likely high-passed above 200 Hz, the max SPL will be substantially higher than its max piston range SPL.

Klippel analysis for the 18M/4631T00 produced the $Bl(X)$, $K_{MS}(X)$, and Bl and K_{MS} symmetry range plots given in **Figures 5-8**. The 18M/4631T00's $Bl(X)$

curve shown in **Figure 5** is symmetrical and typical of a moderate X_{MAX} driver. BI symmetry plot, shown in **Figure 6**, reveals a curve with a trivial coil forward (coil out) offset at the 2 mm position (a point of reasonable certainty) of 0.37 mm that goes to 0.24 mm offset at the 18M/4631T00's 3 mm physical X_{MAX} . Note that the




Figure 15: Scan-Speak 18M/4631T00 SoundCheck distortion plot

data has a fair degree of uncertainty (the expanding grey area indicates the level of uncertainty of the graph), but a high degree of certainty at the 3 mm position.

Figure 7 and **Figure 8** give the $K_{MS}(X)$ and K_{MS} symmetry range curves for the 18M/4631T00. The $K_{MS}(X)$ curve looks rather asymmetrical in both directions with some substantial offsets in the coil position as reflected in the K_{MS} symmetry range curve. However, this is not the driver's fault, nor does it accurately represent the compliance.

When you have more excursion available than the amount of BI you can push, the Klippel analyzer can't get a sufficient curve fit to resolve the compliance. This doesn't happen very often, but it occasionally does. Unfortunately, this means we can't really get a look at the compliance for the 18M/4631T00. However, given the fact that you will not be operating this driver in its piston range, it's not a critically important factor.

Displacement limiting numbers calculated by the Klippel analyzer for the 18M/4631T00 were X_{BI} at 82% $BI = 3.8$ mm and for crossover (XC) at 75% C_{MS} minimum greater than 7.5 mm, which means that for the 18M/4631T00, the BI was the limiting factor for a distortion level of 10%. It was greater than the 18M/4631T00's physical X_{MAX} , but again, this is due to the analyzer not being able to resolve the compliance for this driver.

Figure 9 gives the inductance curves $L(X)$. The curve




Figure 16: Scan-Speak 18M/4631T00 woofer SoundCheck CSD waterfall plot

indicates an increasing inductance as the coil moves inward. However there is only very minor change in inductance throughout the 18M/4631T00's operating range, a key to low distortion performance and the result of the SD-1 motor's triple copper shorting rings (Faraday shields). Inductance change from the rest position to X_{MAX} coil-out position was only 0.011 mH, and even less, 0.006 mH to the X_{MAX} coil-in position, which is really excellent performance.

Following the Klippel testing, I mounted the 18M/4631T00 in an enclosure that had a 17" x 8" baffle and was filled with damping material (foam). I measured the device under test (DUT) on and off axis from 300 Hz to 20 kHz frequency response at 2.83 V/1 m using a 100-point gated sine wave sweep. **Figure 10** shows the 18M/4631T00's on-axis response displaying a smooth rising response to about 2.75 kHz, followed by a shallow 5 dB decline to 10 kHz, followed by the driver's second-order low-pass rolloff.

Figure 11 depicts the on- and off-axis frequency response at 0°, 15°, 30° and 45° with the normalized view shown in **Figure 12** and the associated CLIO polar plot shown in **Figure 13**. The -3 dB at 30°, with respect to the on-axis curve, occurs at 2 kHz, so a cross point in that vicinity should work well to achieve reasonable power response. **Figure 14** shows the 18M/4631T00's two-sample SPL comparisons, which reveals a close match up to 4.8 kHz, with about 1.5 dB variations above that frequency.

For the last group of tests, I employed the Listen, Inc. SoundConnect analyzer and SCM-2 microphone (courtesy of Listen, Inc.) to measure distortion and generate time-frequency plots. Setting up for the distortion measurement consisted of mounting the woofer rigidly in free-air and using noise stimulus to set the SPL to 94 dB at 1 m (3.98 V). As some of our readers might know, SoundCheck 14 has a software generator and a SPL meter as two of its utilities.

Next, I measured the distortion with the Listen microphone placed 10 cm from the dust cap. **Figure 15** shows the distortion curves (note this is now being




Figure 17: SB Scan-Speak 18M/4631T00 SoundCheck Wigner-Ville plot

displayed on a log scale).

Last, I employed the SoundCheck analyzer to get a 2.83 V/1 m impulse response and imported the data into Listen's SoundMap Time/Frequency software.

Figure 16 shows the resulting cumulative spectral decay (CSD) waterfall plot. **Figure 17** shows the Wigner-Ville logarithmic surface map plot, which I used for its better low-frequency performance.

After examining all the data, I found this Scan-Speak driver to be a very well-designed midrange. For more information on this midrange and several other new Scan-Speak drivers, visit the Scan-Speak website at www.scan-speak.dk. **VC**

Submit Samples to Test Bench

Test Bench is an open forum for OEM driver manufacturers in the loudspeaker industry and all OEMs are invited to submit samples to *Voice Coil* for inclusion in the monthly Test Bench column. Driver samples can be for use in any sector of the loudspeaker market including transducers for home audio, car audio, pro sound, multi-media or musical instrument applications. While many of the drivers featured in *Voice Coil* come from OEMs that have a stable catalog of product, this is not a necessary criterion for submission. Any woofer, midrange, or tweeter an OEM manufacturer feels is representative of its work, is welcome to send samples. However, please contact *Voice Coil* Editor Vance Dickason, prior to submission to discuss which drivers are being submitted. Send samples in pairs and addressed to:

Vance Dickason Consulting
 333 S. State St., #152
 Lake Oswego, OR 97034
 (503-557-0427)
 vdcconsult@comcast.net

All samples must include any published data on the product, patent information, or any special information necessary to explain the functioning of the transducer. This should include details regarding the various materials used to construct the transducer such as cone material, voice coil former material, and voice coil wire type. For woofers and midrange drivers, please include the voice coil height, gap height, RMS power handling, and physically measured Mmd (complete cone assembly including the cone, surround, spider, and voice coil with 50% of the spider, surround and lead wires removed).